


Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.2584$ $y=0.2484$
 Chromaticity Coordinate: $u'=0.1891$ $v'=0.4091$ ($duv=-6.36e-03$)
 Tc=23986K Dominant WL:Ld=474.3nm Purity=33.8% Centroid WL:504.0nm
 Ratio:R=12.8% G=78.2% B=8.9% Peak WL:Lp=453.0nm HWL:25.0nm
 Render Index:Ra=87.8
 R1 =89 R2 =93 R3 =88 R4 =87 R5 =85 R6 =82 R7 =92
 R8 =87 R9 =62 R10=80 R11=87 R12=52 R13=93 R14=94 R15=93

Photo Parameters:

Flux: 206.64 lm Fe: 0.82783 W Efficacy:49.18 lm/W

Electrical Parameters:

Lamp : U=12.00V I=0.3502A P=4.202W PF=1.000

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:1.0nm[0] Ip=56412 (G=5,D=77)
 REF=5348 (R=4) %=0.019% PMT: 37.1 centigrade [37.2]

Product Type:LEDS17W
 Number:00116
 Temperature:25.3 deg
 Test Operator:Yanbai Wei
 Software:V2.00.121

Manufacturer:Bin: FC2
 Test Department:Ninbo WuTai Electronic Technolog
 Humidity:65.0%
 Test Date:2020-08-25 11:08:16
 Instrument:PMS-80_V1 (SN:1007081aaa)